

EXPLORA^{2.}

EVOLUZIONE




Price list

Ovens and accessories for the world of professional cooking

EXPLORA^{2.0}

EVOLUZIONE



The **EXPLORA** line becomes **2.0!**

“We have improved excellence”

Unique features, innovative user experience
for professional cooking at highest performance.


Price list

Ovens and accessories for the world of
professional cooking

EXPLORA^{2.0} EVOLUZIONE

Touch, digital, mechanical ovens

EXPLORA COLOMBO



Page:	8	PF7920 20 TRAYS OR GRILLS
Page:	8	PF7916 16 TRAYS OR GRILLS
Page:	8	PF7910_DEO 10 TRAYS OR GRILLS
Page:	9	PF7906_DEO 6 TRAYS OR GRILLS
Page:	9	PF7904 4 TRAYS OR GRILLS

EXPLORA COLOMBO KT



Page:	14	PF1530 10 TRAYS OR GRILLS
Page:	14	PF1535 5 TRAYS OR GRILLS
Page:	14	PF1545 5 TRAYS OR GRILLS

VESPUCCI WASH




Page:	20	PF8910 10 TRAYS OR GRILLS
Page:	20	PF8906 6 TRAYS OR GRILLS
Page:	20	PF8904 4 TRAYS OR GRILLS

VESPUCCI




Page:	22	PF7210 10 TRAYS OR GRILLS
Page:	22	PF7206 6 TRAYS OR GRILLS
Page:	22	PF7204 4 TRAYS OR GRILLS

GALILEI PLUS



Page:	28	PF7720 20 TRAYS OR GRILLS
Page:	28	PF7710 10 TRAYS OR GRILLS
Page:	28	PF7706 06 TRAYS OR GRILLS

GALILEI PLUS KT




Page:	32	PF1550 10 TRAYS OR GRILLS
Page:	32	PF1555 5 TRAYS OR GRILLS
Page:	32	PF1565 5 TRAYS OR GRILLS

EXPLORA^{2.0}

EVOLUZIONE

Touch, digital, mechanical ovens

GALILEI



Page:	36	PF8410 10 TRAYS OR GRILLS
Page:	36	PF8406 6 TRAYS OR GRILLS
Page:	36	PF7404 4 TRAYS OR GRILLS

CABOTO



Page:	42	PF8004D 4 TRAYS OR GRILLS
Page:	42	PF8004 4 TRAYS OR GRILLS
Page:	43	PF8003D 3 TRAYS OR GRILLS
Page:	43	PF8003 3 TRAYS OR GRILLS
Page:	44	PF7604D 4 TRAYS OR GRILLS
Page:	44	PF7604 4 TRAYS OR GRILLS
Page:	45	PF7504 4 TRAYS OR GRILLS
Page:	45	PF7504G 4 TRAYS OR GRILLS
Page:	46	PF6204D 4 TRAYS OR GRILLS
Page:	46	PF6204 4 TRAYS OR GRILLS
Page:	47	PF5804D 4 TRAYS OR GRILLS
Page:	47	PF5804 4 TRAYS OR GRILLS
Page:	48	PF5004F 4 TRAYS OR GRILLS
Page:	48	PF5004P 4 TRAYS OR GRILLS

TECHNICAL CHARACTERISTICS

From page:	52	CHARACTERISTICS
------------	----	------------------------

ACCESSORIES

PROOFERS, HOODS, SUPPORTS, RACKS, TRAYS, GRILLS,
CARE E MAINTENANCE, OPTIONAL KITS

From page:	56	ACCESSORIES
------------	----	--------------------

EXPLORA



COLOMBO



GASTRONOMY



BAKERY



PASTRY



PF7910_DE0
EVOLUZIONE




PF7920
PF7916



PF7906_DE0
EVOLUZIONE



PF7904



LIGHT ON DOOR



STEAM COOKING.
MIXED COOKING.
CONVECTION COOKING.



WIDTH (mm)
780 mm



AUTOMATIC CHIMNEY
REGULATION.



DOUBLE TEMPERED
GLASS DOOR.



AUTOMATIC
WASHING SYSTEM.



7" CAPACITIVE TOUCH
SCREEN DISPLAY.



LED LIGHTS.



SINGLE POINT
CORE PROBE.



GASTRONOMY

Product code		PF7920
N° trays		20
Compatible trays		GN 1/1
Outside dimensions (WxDxH)(mm)		870 x 1000 x 1930
Space between trays (mm)		66
Power (kW)		36
Voltage		400V 3N~
Weight (kg)		250
N° servings		130 - 200
Price		€ 16.370,00

[Reversible door \(+ € 580,00\)](#)
CODE PF7920L



BAKERY



PASTRY

Product code		PF7916
N° trays		16
Compatible trays		EN 600x400
Outside dimensions (WxDxH)(mm)		870 x 1000 x 1930
Space between trays (mm)		80
Power (kW)		36
Voltage		400V 3N~
Weight (kg)		250
N° servings		110 - 170
Price		€ 16.370,00

[Reversible door \(+ € 580,00\)](#)
CODE PF7916L



GASTRONOMY



BAKERY



PASTRY

Product code		PF7910_DE0
N° trays		10
Compatible trays		EN 600x400 - GN 1/1
Cooking chamber dimensions (WxDxH)		660x450x930 mm - 270 Lt
External dimensions (WxDxH)		785x890x1230 mm
Space between trays (mm)		80 mm
Rated power (kW)		15,8
No. motor speed		8
Fans inversion		Balanced Reverse
Rated voltage		380-415V 3F N~ (25A) 5x4 mm ² 220-240V 3F (43A) 4x10 mm ² / 220-240V 1F (69A) 3x10 mm ²
Price		€ 9.300,00

EVOLUZIONE



GASTRONOMY



BAKERY



PASTRY



EVOLUZIONE

Product code

PF7906_ DE0

N° trays	6
Compatible trays	EN 600x400 - GN 1/1
Cooking chamber dimensions (WxDxH)	660x450x560 mm - 166 Lt
External dimensions (WxDxH)	785x890x870 mm
Space between trays (mm)	80 mm
Rated power (kW)	10,5
No. motor speed	8
Fans inversion	Balanced Reverse
Rated voltage	380-415V 3F N~ (22A) 5x4 mm ² 220-240V 3F (38A) 4x6 mm ² / 220-240V 1F (48A) 3x10 mm ²
Price	€ 7.930,00



GASTRONOMY



BAKERY



PASTRY



Product code

PF7904

N° trays	4
Compatible trays	EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)	780 x 850 x 640
Space between trays (mm)	75
Power (kW)	9,3
Voltage	400V 3N~ / 230V 1N~
Weight (kg)	70
N° servings	40 - 80
Price	€ 5.960,00




[Reversible door \(+ € 400,00\)](#)
[CODE PF7904L](#)

General technical characteristics

Hertz	50/60 Hz	Pre-heating	•
Temperature	30 - 270 °C	Semi-static mode	•
Water connection	•	Fans inversion	Balanced Reverse
Fan speed	8	Steam cooking	Direct injection
Core probe	•	Chimney regulation	Optimal Climatic
Control	7" touch screen	Delta T Cooking	•
Cooking phases	40	Automatic washing system	•
Insertable recipes	1000	Timed wash	•


Care & Maintenance

NETTOYAGE | 2in1 CLEANER

	DET30010 - NETTOYAGE
	2-in-1 formula to guarantee you top cleaning results. Also ideal for very stubborn dirt. 5 kg tank. € 65,00

WATER TREATMENT

[Go to page 76 →](#)

	DET30011 - NETTOYAGE
	2-in-1 formula to guarantee you top cleaning results. Also ideal for very stubborn dirt. One box contains 12 x 1 kg tanks. € 155,00

OTHER CLEANING ACCESSORIES

[Go to page 76 →](#)

Recommended Trays & Grills

SPECIALS TRAYS & GRILLS

	APLEC30041 - EGGS TRAY
	GN 1/1 aluminium non-stick tray Eggs tray with 6 moulds measuring 120 mm in diameter 530 x 325 mm (W x D x H) € 190,00

	APLEC30028 - PLUM CAKES TRAY
	EN 600 x 400 Teflon plum cakes tray 600 x 400 x 20 mm (W x D x H) € 240,00

	APLEC30029 - EGGS XL TRAY
	EN 600 x 400 aluminium non-stick tray Eggs tray with 8 moulds measuring 120 mm in diameter 600 x 400 x 20 mm (W x D x H) € 130,00

	APLEC30043 - FRY TRAY
	GN 1/1 aluminium non-stick tray 530 x 325 x 20 mm (W x D x H) € 100,00


	APLEC30062 - STRIPES GRILL
	GN 1/1 non-stick teflon ribbed plate 530 x 325 x 10 mm (W x D x H) € 280,00

	APLEC30065 - GRILL PLATE
	GN 1/1 non-stick teflon flat plate 530 x 325 x 20 mm (W x D x H) € 280,00

	APGRI30124 - ZEBRA GRILL
	GN 1/1 aluminium non-stick grill 530 x 325 mm (W x D x H) € 260,00

	APLEC30012 - BAKE TRAY
	EN 600 x 400 aluminium teflon tray 600 x 400 x 20 mm (W x D x H) € 80,00

	APLEC30004 - BAGUETTE TRAY
	EN 600 x 400 aluminium perforated tray 5 canals with support 600 x 400 x 30 mm (W x D x H) € 70,00

	APLEC30063 - BAKE PLATE
	EN 600 x 400 With flaps (patent VULCAN) 600 x 400 x 10 mm (W x D x H) € 290,00


OTHER TRAYS

[Go to page 65 →](#)

OTHER GRILLS


[Go to page 73 →](#)

Compatible Accessories




PROOFERS

[Go to page 58 →](#)




HOODS

[Go to page 59 →](#)




SUPPORTS

[Go to page 60 →](#)




TROLLEY TRAYS

[Go to page 64 →](#)



STACKING KIT

[Go to page 78 →](#)






OTHER KITS

[Go to page 80 →](#)

COMBINATIONS

Colombo Combinations



PC7600_DE0
PF7906_DE0
 PL7608

PC7600_DE0
PF7910_DE0
 PL7612

PC7600
PF7904/L
[KIT00072 / KIT00081]
PF7904/L
 PL7612

[] use the indicated kit to allow ovens to be stacked one above the other.

EXPLORAKIT ROBOTT BREWING






PF1545

PF1530

PF1535



LIGHT ON DOOR



STEAM COOKING.
MIXED COOKING.
CONVECTION COOKING.



WIDTH (mm)
540 mm



AUTOMATIC CHIMNEY
REGULATION.



DOUBLE TEMPERED
GLASS DOOR.



AUTOMATIC
WASHING SYSTEM.



7" CAPACITIVE TOUCH
SCREEN DISPLAY.



LED LIGHTS.



SINGLE POINT
CORE PROBE.

Colombo KT



GASTRONOMY

Product code	PF1530
N° trays	10
Compatible trays	GN 1/1
Outside dimensions (WxDxH)(mm)	540 x 860 x 1160
Space between trays (mm)	80
Power (kW)	15,6
Voltage	400V 3N~
Weight (kg)	130
N° servings	80 - 150
Price	€ 8.250,00

[Reversible door \(+ € 475,00\)](#)
CODE PF1530L



GASTRONOMY

Product code	PF1535
N° trays	5
Compatible trays	GN 1/1
Outside dimensions (WxDxH)(mm)	540 x 860 x 760
Space between trays (mm)	80
Power (kW)	7,9
Voltage	400V 3N~ / 230V 1N~
Weight (kg)	90
N° servings	30 - 80
Price	€ 6.990,00

[Reversible door \(+ € 415,00\)](#)
CODE PF1535L



GASTRONOMY

Product code	PF1545
N° trays	5
Compatible trays	GN 2/3
Outside dimensions (WxDxH)(mm)	540 x 680 x 760
Space between trays (mm)	80
Power (kW)	6,1
Voltage	400V 3N~ / 230V 1N~
Weight (kg)	70
N° servings	20 - 50
Price	€ 6.600,00


[Reversible door \(+ € 415,00\)](#)
CODE PF1545L


General technical characteristics

Hertz	50/60 Hz	Pre-heating	•
Temperature	30 - 270 °C	Semi-static mode	•
Water connection	•	Fans inversion	Balanced Reverse
Fan speed	8	Steam cooking	Direct injection
Core probe	•	Chimney regulation	Optimal Climatic
Control	7" touch screen	Delta T Cooking	•
Cooking phases	40	Automatic washing system	•
Insertable recipes	1000	Timed wash	•

Care & Maintenance

NETTOYAGE | 2in1 CLEANER

	DET30010 - NETTOYAGE
	2-in1 formula to guarantee you top cleaning results. Also ideal for very stubborn dirt. 5 kg tank. € 65,00

	DET30011 - NETTOYAGE
	2-in1 formula to guarantee you top cleaning results. Also ideal for very stubborn dirt. One box contains 12 x 1 kg tanks. € 155,00

WATER TREATMENT

[Go to page 76 →](#)

OTHER CLEANING ACCESSORIES

[Go to page 76 →](#)

Recommended Trays & Grills

SPECIALS TRAYS & GRILLS

	APLEC30041 - EGGS TRAY
	GN 1/1 aluminium non-stick tray Eggs tray with 6 moulds measuring 120 mm in diameter 530 x 325 mm (W x D x H) € 190,00

	APLEC30043 - FRY TRAY
	GN 1/1 aluminium non-stick tray 530 x 325 x 20 mm (W x D x H) € 100,00

	APLEC30062 - STRIPES GRILL
	GN 1/1 non-stick teflon ribbed plate 530 x 325 x 10 mm (W x D x H) € 280,00

	APLEC30065 - GRILL PLATE
	GN 1/1 non-stick teflon flat plate 530 x 325 x 20 mm (W x D x H) € 280,00

	APGRI30124 - ZEBRA GRILL
	GN 1/1 aluminium non-stick grill 530 x 325 mm (W x D x H) € 260,00


OTHER TRAYS

[Go to page 65 →](#)

OTHER GRILLS


[Go to page 73 →](#)

Compatible Accessories




SUPPORTS

[Go to page 60 →](#)



STACKING KIT

[Go to page 78 →](#)



OTHER KITS

[Go to page 80 →](#)


EXPLORA



2.0
EVOLUZIONE


INNOVATIVE AND SMART

to ensure a perfect kitchen service.




COOKING EASY

- Fast and easy-to-use interface.
- Immediate human-oven interaction.
- Assisted selection of cooking parameters.
- Convection cooking with temperature from 30 °C to 270 °C.
- Convection cooking + manual humidification.
- Convection cooking + adjustable humidification.
- Steam cooking.
- Core probe cooking.
- Delta T cooking.
- Reversing rotation.
- 8-speed motor.
- Multi-timer with independent tray timer.



PROGRAMMED COOKING

- 1000 settable recipes.
- 6 product categories.
- Last recipe saved.
- USB interface.
- Customizable recipes.




ECO-FRIENDLY CLEANING SYSTEM

- 2in1 detergent recommended formula.
- 3 washing cycles.
- 1 rinsing cycle.
- Weekly programmable.


Display TFT 7"

COLOMBO
COLOMBO KT



MANUAL COOKING

- Convection cooking with temperature from 30 °C to 270 °C.
- Convection cooking + manual humidification.
- Convection cooking + adjustable humidification.
- Steam cooking.
- Core probe cooking.
- Delta T cooking.
- Reversing rotation.
- 8-speed motor.
- Multi-phase cooking up to 40 steps.
- Multi-timer with independent tray timer.



RAPID COOLING

- 2 assisted cooling programs.
- 1 custom cooling program.



MY EXPLORA

- Actions history.
- Diagnostics: explanatory icons indicating the presence of errors to the user.
- Consumption monitoring.
- HACCP function.
- Advanced Settings.
- Multiple user profiles.

I

U

U

S

R

S

W

V



VESPUCCI WASH VESPUCCI



GASTRONOMY



PASTRY




PF8910 ("Wash")
PF7210




PF8906 ("Wash")
PF7206



PF8904 ("Wash")
PF7204



LIGHT ON DOOR




STEAM COOKING.
MIXED COOKING.
CONVECTION COOKING.



DIGITAL CONTROL.



CHIMNEY
REGULATION.



AUTOMATIC WASHING SYSTEM
("WASH" MODEL ONLY).



GN 1/1
EN 600x400
WIDTH (mm)
780 mm



3 FANS SPEED.



SINGLE POINT
CORE PROBE.

Vespucci Wash



GASTRONOMY



PASTRY

Product code	PF8910
N° trays	10
Compatible trays	EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)	780 x 850 x 1200
Space between trays (mm)	80
Power (kW)	15,8
Voltage	400V 3N~
Weight (kg)	121
N° servings	90 - 150
Price	€ 6.350,00



[Reversible door \(+ € 475,00\)](#)
[CODE PF8910L](#)



GASTRONOMY



PASTRY

Product code	PF8906
N° trays	6
Compatible trays	EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)	780 x 850 x 830
Space between trays (mm)	80
Power (kW)	10,5
Voltage	400V 3N~ / 230V 1N~
Weight (kg)	90
N° servings	60 - 110
Price	€ 5.340,00



[Reversible door \(+ € 425,00\)](#)
[CODE PF8906L](#)



GASTRONOMY



PASTRY

Product code	PF8904
N° trays	4
Compatible trays	EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)	780 x 850 x 640
Space between trays (mm)	75
Power (kW)	9,3
Voltage	400V 3N~ / 230V 1N~
Weight (kg)	70
N° servings	40 - 80
Price	€ 4.450,00




[Reversible door \(+ € 400,00\)](#)
[CODE PF8904L](#)


General technical characteristics

Hertz	50/60 Hz	Insertable recipes	99
Temperature	30 - 270 °C	Pre-heating	•
Water connection	•	Fans inversion	Reverse Air Flow
Fan speed	3	Steam cooking	Direct injection
Core probe	•	Chimney regulation	Optimal Climatic
Control	digital	Automatic washing system	•
Cooking phases	5		

Care & Maintenance

NETTOYAGE | 2in1 CLEANER

	DET30010 - NETTOYAGE
	2-in-1 formula to guarantee you top cleaning results. Also ideal for very stubborn dirt. 5 kg tank.
	€ 65,00

	DET30011 - NETTOYAGE
	2-in-1 formula to guarantee you top cleaning results. Also ideal for very stubborn dirt. One box contains 12 x 1 kg tanks.
	€ 155,00

WATER TREATMENT

[Go to page 76 →](#)

OTHER CLEANING ACCESSORIES

[Go to page 76 →](#)

Recommended Trays & Grills

SPECIALS TRAYS & GRILLS

	APLEC30041 - EGGS TRAY
	GN 1/1 aluminium non-stick tray Eggs tray with 6 moulds measuring 120 mm in diameter 530 x 325 mm (W x D x H)
	€ 190,00

	APLEC30043 - FRY TRAY
	GN 1/1 aluminium non-stick tray 530 x 325 x 20 mm (W x D x H)
	€ 100,00

	APLEC30062 - STRIPES GRILL
	GN 1/1 non-stick teflon ribbed plate 530 x 325 x 10 mm (W x D x H)
	€ 280,00

	APLEC30065 - GRILL PLATE
	GN 1/1 non-stick teflon flat plate 530 x 325 x 20 mm (W x D x H)
	€ 280,00

	APGRI30124 - ZEBRA GRILL
	GN 1/1 aluminium non-stick grill 530 x 325 mm (W x D x H)
	€ 260,00


OTHER TRAYS

[Go to page 65 →](#)

OTHER GRILLS


[Go to page 73 →](#)

Compatible Accessories




HOODS

[Go to page 59 →](#)




SUPPORTS

[Go to page 60 →](#)



STACKING KIT

[Go to page 78 →](#)



OTHER KITS

[Go to page 80 →](#)



GASTRONOMY



PASTRY

Product code		PF7210
N° trays		10
Compatible trays		EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)		780 x 850 x 1200
Space between trays (mm)		80
Power (kW)		15,8
Voltage		400V 3N~
Weight (kg)		121
N° servings		90 - 150
Price		€ 5.840,00



[Reversible door \(+ € 475,00\)](#)
CODE PF7210L



GASTRONOMY



PASTRY

Product code		PF7206
N° trays		6
Compatible trays		EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)		780 x 850 x 830
Space between trays (mm)		80
Power (kW)		10,5
Voltage		400V 3N~ / 230V 1N~
Weight (kg)		90
N° servings		60 - 110
Price		€ 4.890,00



[Reversible door \(+ € 425,00\)](#)
CODE PF7206L



GASTRONOMY



PASTRY

Product code		PF7204
N° trays		4
Compatible trays		EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)		780 x 850 x 640
Space between trays (mm)		75
Power (kW)		9,3
Voltage		400V 3N~ / 230V 1N~
Weight (kg)		70
N° servings		40 - 80
Price		€ 3.560,00



[Reversible door \(+ € 400,00\)](#)
CODE PF7204L

General technical characteristics

Hertz	50/60 Hz	Insertable recipes	99
Temperature	30 - 270 °C	Pre-heating	•
Water connection	•	Fans inversion	Reverse Air Flow
Fan speed	3	Steam cooking	Direct injection
Core probe	•	Chimney regulation	Optimal Climatic
Control	digital	Automatic washing system	-
Cooking phases	5		

Recommended Trays & Grills

SPECIALS TRAYS & GRILLS

	APLEC30041 - EGGS TRAY
	GN 1/1 aluminium non-stick tray Eggs tray with 6 moulds measuring 120 mm in diameter 530 x 325 mm (W x D x H) € 190,00

	APLEC30043 - FRY TRAY
	GN 1/1 aluminium non-stick tray 530 x 325 x 20 mm (W x D x H) € 100,00

	APLEC30062 - STRIPES GRILL
	GN 1/1 non-stick teflon ribbed plate 530 x 325 x 10 mm (W x D x H) € 280,00

	APLEC30065 - GRILL PLATE
	GN 1/1 non-stick teflon flat plate 530 x 325 x 20 mm (W x D x H) € 280,00

	APGRI30124 - ZEBRA GRILL
	GN 1/1 aluminium non-stick grill 530 x 325 mm (W x D x H) € 260,00


OTHER TRAYS

[Go to page 65 →](#)

OTHER GRILLS


[Go to page 73 →](#)

Compatible Accessories




HOODS

[Go to page 59 →](#)




SUPPORTS

[Go to page 60 →](#)



STACKING KIT

[Go to page 78 →](#)



OTHER KITS

[Go to page 80 →](#)

TECHNICAL FEATURES AND COMBINATIONS

Digital control under glass

Digital control

TIMER

Regulation of cooking time.
Regulation of core temperature.

FANS SPEED

Set different fan speeds
(3 different speeds available).

STEAM

Steam percentage regulation.

PROGRAMMABLE COOKING

Possible to set up to 99 programs

START/STOP

Start or Stop oven selections.

CORE PROBE

Set core probe temperature.

TEMPERATURE

Cooking chamber temperature regulation.

CHIMNEY

(Optimal Climatic)
Chimney regulation.
(3 different positions available).

COOKING PHASE

Program phase
(5 different phases available).

INCREASING BUTTON


DECREASING BUTTON

ON/OFF

Turn on/off oven.

Vespucci Wash


Combinations



PC7600
PF8906/L
 PL7608




PC7600
PF8910/L
 PL7612



PC7600
PF8904/L
[KIT00072 / KIT00081]
PF8904/L
 PL7612

Vespucci

Combinations



PC7600
PF7206/L
 PL7608



PC7600
PF7210/L
 PL7612

[] use the indicated kit to allow ovens to be stacked one above the other.

GALLERIE PLUS



GALILEI PLUS



GASTRONOMY



PASTRY




PF7710




PF7720



PF7706



LIGHT IN THE CHAMBER



STEAM COOKING.
MIXED COOKING.
CONVECTION COOKING.



HYBRID CONTROL:
MANUAL AND DIGITAL.



CHIMNEY REGULATION.



WIDTH (mm)
780 mm



3 FANS SPEED.




SINGLE POINT
CORE PROBE.

Galilei Plus



GASTRONOMY

Product code		PF7720
N° trays		20
Compatible trays		GN 1/1
Outside dimensions (WxDxH)(mm)		940 x 1000 x 1930
Space between trays (mm)		66
Power (kW)		36
Voltage		400V 3N~
Weight (kg)		250
N° servings		130 - 200
Price		€ 14.340,00

 [Reversible door \(+ € 580,00\)](#)
CODE PF7720L



GASTRONOMY



PASTRY

Product code		PF7710
N° trays		10
Compatible trays		EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)		780 x 850 x 1200
Space between trays (mm)		80
Power (kW)		15,7
Voltage		400V 3N~
Weight (kg)		121
N° servings		90 - 150
Price		€ 5.590,00

 [Reversible door \(+ € 475,00\)](#)
CODE PF7710L



GASTRONOMY



PASTRY

Product code		PF7706
N° trays		6
Compatible trays		EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)		780 x 850 x 830
Space between trays (mm)		80
Power (kW)		10,5
Voltage		400V 3N~ / 230V 1N~
Weight (kg)		90
N° servings		60 - 110
Price		€ 4.520,00

 [Reversible door \(+ € 425,00\)](#)
CODE PF7706L



General technical characteristics

Hertz	50/60 Hz	Control	hybrid manual and digital
Temperature	30 - 260 °C	Fans inversion	<i>Reverse Air flow</i>
Water connection	•	Steam cooking	<i>Direct injection</i>
Fan speed	3	Chimney regulation	<i>Optimal Climatic</i>
Core probe	•		

Recommended Trays & Grills

SPECIALS TRAYS & GRILLS

	APLEC30041 - EGGS TRAY
	GN 1/1 aluminium non-stick tray Eggs tray with 6 moulds measuring 120 mm in diameter 530 x 325 mm (W x D x H) € 190,00

	APLEC30043 - FRY TRAY
	GN 1/1 aluminium non-stick tray 530 x 325 x 20 mm (W x D x H) € 100,00

	APLEC30062 - STRIPES GRILL
	GN 1/1 non-stick teflon ribbed plate 530 x 325 x 10 mm (W x D x H) € 280,00

	APLEC30065 - GRILL PLATE
	GN 1/1 non-stick teflon flat plate 530 x 325 x 20 mm (W x D x H) € 280,00

	APGRI30124 - ZEBRA GRILL
	GN 1/1 aluminium non-stick grill 530 x 325 mm (W x D x H) € 260,00


OTHER TRAYS

[Go to page 65 →](#)

OTHER GRILLS


[Go to page 73 →](#)

Compatible Accessories




HOODS

[Go to page 59 →](#)




SUPPORTS

[Go to page 60 →](#)




TROLLEY TRAYS

[Go to page 64 →](#)



STACKING KIT


[Go to page 78 →](#)



OTHER KITS

[Go to page 80 →](#)

GALELLI PLUS KIT



GALILEI PLUS KT




GASTRONOMY



PF1555

PF1550

PF1565



LIGHT IN THE CHAMBER



STEAM COOKING.
MIXED COOKING.
CONVECTION COOKING.



HYBRID CONTROL:
MANUAL AND DIGITAL.



CHIMNEY REGULATION.



WIDTH (mm)
540 mm



3 FANS SPEED.



SINGLE POINT
CORE PROBE.

Galilei Plus KT



GASTRONOMY

Product code		PF1550
N° trays		10
Compatible trays		GN 1/1
Outside dimensions (WxDxH)(mm)		540 x 860 x 1160
Space between trays (mm)		80
Power (kW)		15,5
Voltage		400V 3N~
Weight (kg)		130
N° servings		80 - 150
Price		€ 5.960,00

 [Reversible door \(+ € 475,00\)](#)
CODE PF1550L



GASTRONOMY

Product code		PF1555
N° trays		5
Compatible trays		GN 1/1
Outside dimensions (WxDxH)(mm)		540 x 860 x 760
Space between trays (mm)		80
Power (kW)		7,8
Voltage		400V 3N~ / 230V 1N~
Weight (kg)		90
N° servings		30 - 80
Price		€ 4.820,00

 [Reversible door \(+ € 415,00\)](#)
CODE PF1555L



GASTRONOMY

Product code		PF1565
N° trays		5
Compatible trays		GN 2/3
Outside dimensions (WxDxH)(mm)		540 x 680 x 760
Space between trays (mm)		80
Power (kW)		6
Voltage		400V 3N~ / 230V 1N~
Weight (kg)		70
N° servings		20 - 50
Price		€ 4.570,00

 [Reversible door \(+ € 415,00\)](#)
CODE PF1565L

General technical characteristics

Hertz	50/60 Hz	Control	hybrid manual and digital
Temperature	30 - 260 °C	Fans inversion	Reverse Air flow
Water connection	•	Steam cooking	Direct injection
Fan speed	3	Chimney regulation	Optimal Climatic
Core probe	•		

Recommended Trays & Grills

SPECIALS TRAYS & GRILLS

	APLEC30041 - EGGS TRAY
	GN 1/1 aluminium non-stick tray Eggs tray with 6 moulds measuring 120 mm in diameter 530 x 325 mm (W x D x H) € 190,00

	APLEC30043 - FRY TRAY
	GN 1/1 aluminium non-stick tray 530 x 325 x 20 mm (W x D x H) € 100,00

	APLEC30062 - STRIPES GRILL
	GN 1/1 non-stick teflon ribbed plate 530 x 325 x 10 mm (W x D x H) € 280,00

	APLEC30065 - GRILL PLATE
	GN 1/1 non-stick teflon flat plate 530 x 325 x 20 mm (W x D x H) € 280,00

	APGRI30124 - ZEBRA GRILL
	GN 1/1 aluminium non-stick grill 530 x 325 mm (W x D x H) € 260,00


OTHER TRAYS

[Go to page 65 →](#)

OTHER GRILLS


[Go to page 73 →](#)

Compatible Accessories




SUPPORTS

[Go to page 60 →](#)



STACKING KIT

[Go to page 78 →](#)



OTHER KITS

[Go to page 80 →](#)

I

W


L

L

L

A

G



GALILEI



GASTRONOMY



PASTRY




PF8410



PF7404



PF8406



**LIGHT IN THE
CHAMBER**



STEAM COOKING.
MIXED COOKING.
CONVECTION COOKING.



MANUAL CONTROL.



WIDTH (mm)
780 mm



3 FANS SPEED.



GASTRONOMY



PASTRY

Product code		PF8410
N° trays		10
Compatible trays		EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)		780 x 850 x 1200
Space between trays (mm)		80
Power (kW)		15,7
Voltage		400V 3N~
Weight (kg)		121
N° servings		90 - 150
Price		€ 4.820,00



[Reversible door \(+ € 475,00\)](#)
CODE PF8410L



GASTRONOMY



PASTRY

Product code		PF8406
N° trays		6
Compatible trays		EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)		780 x 850 x 830
Space between trays (mm)		80
Power (kW)		10,5
Voltage		400V 3N~ / 230V 1N~
Weight (kg)		90
N° servings		60 - 110
Price		€ 3.930,00



[Reversible door \(+ € 425,00\)](#)
CODE PF8406L



GASTRONOMY



PASTRY

Product code		PF7404
N° trays		4
Compatible trays		EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)		760 x 720 x 570
Space between trays (mm)		75
Power (kW)		6,3
Voltage		400V 3N~ / 230V 1N~
Weight (kg)		55
N° servings		40 - 80
Price		€ 2.540,00



[Reversible door \(+ € 400,00\)](#)
CODE PF7404L

General technical characteristics

Hertz	50/60 Hz	Control	manual
Temperature	30 - 260 °C	Fans inversion	Reverse Air flow
Water connection	•	Steam cooking	•
Fan speed	3		

Recommended Trays & Grills

SPECIALS TRAYS & GRILLS

	APLEC30041 - EGGS TRAY
	GN 1/1 aluminium non-stick tray Eggs tray with 6 moulds measuring 120 mm in diameter 530 x 325 mm (W x D x H) € 190,00

	APLEC30043 - FRY TRAY
	GN 1/1 aluminium non-stick tray 530 x 325 x 20 mm (W x D x H) € 100,00

	APLEC30029 - EGGS XL TRAY
	EN 600 x 400 aluminium non-stick tray Eggs tray with 8 moulds measuring 120 mm in diameter 600 x 400 x 20 mm (W x D x H) € 130,00

	APLEC30065 - GRILL PLATE
	GN 1/1 non-stick teflon flat plate 530 x 325 x 20 mm (W x D x H) € 280,00

	APLEC30062 - STRIPES GRILL
	GN 1/1 non-stick teflon ribbed plate 530 x 325 x 10 mm (W x D x H) € 280,00

OTHER TRAYS

[Go to page 65 →](#)


OTHER GRILLS

[Go to page 73 →](#)

	APGRI30124 - ZEBRA GRILL
	GN 1/1 aluminium non-stick grill 530 x 325 mm (W x D x H) € 260,00


	APLEC30028 - PLUM CAKES TRAY
	EN 600 x 400 Teflon plum cakes tray 600 x 400 x 20 mm (W x D x H) € 240,00

Compatible Accessories




PROOFERS

[Go to page 58 →](#)




HOODS

[Go to page 59 →](#)




SUPPORTS

[Go to page 60 →](#)



STACKING KIT

[Go to page 78 →](#)



OTHER KITS


[Go to page 80 →](#)

TECHNICAL FEATURES AND COMBINATIONS

Simple and intuitive


Galilei

Manual Control




Galilei Plus | Galilei Plus KT

Hybrid control




Galilei Plus

Combinations




PC7600
PF7706/L
PL7608




PC7600
PF7710/L
PL7612

Galilei

Combinations



PC7600
PF8406/L
PL7608



PC7600
PF8410/L
PL7612

CARBOTTO



CABOTO



GASTRONOMY



BAKERY



PASTRY



DOMESTIC



PF8004D (DIGITAL)
PF8004 (MANUAL)
PF7504 (MANUAL)
PF7504G (MANUAL)



PF8003D (DIGITAL)
PF8003 (MANUAL)



PF7604D (DIGITAL)
PF7604 (MANUAL)




PF6204D (DIGITAL)
PF6204 (MANUAL)



PF5804D (DIGITAL)
PF5804 (MANUAL)



PF5004F (MANUAL)
PF5004 (MANUAL)



LIGHT IN THE CHAMBER



CONVECTION COOKING.



DIGITAL CONTROL.
MANUAL CONTROL.



WIDTH (mm)
800/750/600/550/480 mm



GASTRONOMY



BAKERY



PASTRY



Product code	PF8004D
Control	digital
N° trays	4
Compatible trays	EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)	800 x 760 x 540
Space between trays (mm)	75
Power (kW)	6,5
Voltage	230V 1N~ / 400V 3N~
Weight (kg)	55
Fans inversion	Reverse Air flow
Humidification	adjustable
Grill	-
Plug in	-
N° brioche per tray	12x4
Price	€ 2.380,00



GASTRONOMY



BAKERY



PASTRY



Product code	PF8004
Control	manual
N° trays	4
Compatible trays	EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)	800 x 760 x 540
Space between trays (mm)	75
Power (kW)	6,5
Voltage	230V 1N~ / 400V 3N~
Weight (kg)	55
Fans inversion	Reverse Air flow
Humidification	manual
Grill	-
Plug in	-
N° brioche per tray	12x4
Price	€ 2.090,00



Available also with hinged door
CODE PF8004E



PRICE ON REQUEST

General technical characteristics

Hertz	50/60 Hz	Cooking phases	3 *
Temperature	30 - 260 °C	Insertable recipes	99 *
Top to bottom opening	standard	Pre-heating	up to 260 °C *

* only digital versions.



GASTRONOMY



BAKERY



PASTRY



Product code	PF8003D
Control	digital
N° trays	3
Compatible trays	EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)	800 x 760 x 460
Space between trays (mm)	75
Power (kW)	3,3
Voltage	230V 1N~ / 400V 3N~
Weight (kg)	50
Fans inversion	Reverse Air flow
Humidification	adjustable
Grill	-
Plug in	-
N° brioche per tray	12x3
Price	€ 2.020,00



GASTRONOMY



BAKERY



PASTRY



Product code	PF8003
Control	manual
N° trays	3
Compatible trays	EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)	800 x 760 x 460
Space between trays (mm)	75
Power (kW)	3,3
Voltage	230V 1N~ / 400V 3N~
Weight (kg)	50
Fans inversion	Reverse Air flow
Humidification	manual
Grill	-
Plug in	-
N° brioche per tray	12x3
Price	€ 1.740,00



Available also with hinged door
CODE PF8003E



PRICE ON REQUEST

General technical characteristics

Hertz	50/60 Hz	Cooking phases	3 *
Temperature	30 - 260 °C	Insertable recipes	99 *
Top to bottom opening	standard	Pre-heating	up to 260 °C *

* only digital versions.



GASTRONOMY



BAKERY



PASTRY



Product code	PF7604D
Control	digital
N° trays	4
Compatible trays	EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)	750 x 720 x 540
Space between trays (mm)	75
Power (kW)	6,3
Voltage	230V 1N~ / 400V 3N~
Weight (kg)	55
Fans inversion	Reverse Air flow
Humidification	adjustable
Grill	-
Plug in	-
N° brioche per tray	12x4
Price	€ 2.130,00



GASTRONOMY



BAKERY



PASTRY



Product code	PF7604
Control	manual
N° trays	4
Compatible trays	EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)	750 x 720 x 540
Space between trays (mm)	75
Power (kW)	6,3
Voltage	230V 1N~ / 400V 3N~
Weight (kg)	55
Fans inversion	Reverse Air flow
Humidification	manual
Grill	-
Plug in	-
N° brioche per tray	12x4
Price	€ 1.850,00

General technical characteristics

Hertz	50/60 Hz	Cooking phases	3 *
Temperature	30 - 260 °C	Insertable recipes	99 *
Top to bottom opening	standard	Pre-heating	up to 260 °C *

* only digital versions.



GASTRONOMY



BAKERY



PASTRY



Product code	PF7504
Control	manual
N° trays	4
Compatible trays	EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)	750 x 720 x 540
Space between trays (mm)	75
Power (kW)	6,3
Voltage	230V 1N~ / 400V 3N~
Weight (kg)	52
Fans inversion	-
Humidification	manual
Grill	-
Plug in	-
N° brioche per tray	12x2
Price	€ 1.530,00



GASTRONOMY



BAKERY



PASTRY



With Grill function



Product code	PF7504G
Control	manual
N° trays	4
Compatible trays	EN 600x400 / GN 1/1
Outside dimensions (WxDxH)(mm)	750 x 720 x 540
Space between trays (mm)	75
Power (kW)	6,3
Voltage	230V 1N~ / 400V 3N~
Weight (kg)	52
Fans inversion	-
Humidification	manual
Grill	•
Plug in	-
N° brioche per tray	12x2
Price	€ 1.650,00

General technical characteristics

Hertz	50/60 Hz	Cooking phases	3 *
Temperature	30 - 260 °C	Insertable recipes	99 *
Top to bottom opening	standard	Pre-heating	up to 260 °C *

* only digital versions.



GASTRONOMY



BAKERY



PASTRY



Product code	PF6204D
Control	digital
N° trays	4
Compatible trays	442x325 / GN 2/3
Outside dimensions (WxDxH)(mm)	600 x 680 x 540
Space between trays (mm)	78
Power (kW)	3,1
Voltage	230V 1N~
Weight (kg)	37
Fans inversion	Reverse Air flow
Humidification	adjustable
Grill	-
Plug in	•
N° brioche per tray	9x4
Price	€ 1.650,00



GASTRONOMY



BAKERY



PASTRY



Product code	PF6204
Control	manual
N° trays	4
Compatible trays	442x325 / GN 2/3
Outside dimensions (WxDxH)(mm)	600 x 680 x 540
Space between trays (mm)	78
Power (kW)	3,1
Voltage	230V 1N~
Weight (kg)	37
Fans inversion	Reverse Air flow
Humidification	manual
Grill	-
Plug in	•
N° brioche per tray	9x4
Price	€ 1.240,00

General technical characteristics

Hertz	50/60 Hz	Cooking phases	3 *
Temperature	30 - 260 °C	Insertable recipes	99 *
Top to bottom opening	standard	Pre-heating	up to 260 °C *

* only digital versions.



Product code	PF5804D
Control	digital
N° trays	4
Compatible trays	442x325
Outside dimensions (WxDxH)(mm)	550 x 600 x 540
Space between trays (mm)	75
Power (kW)	2,8
Voltage	230V 1N~
Weight (kg)	27
Fans inversion	-
Humidification	adjustable
Grill	-
Plug in	•
N° brioches per tray	6x4
Price	€ 1.330,00



Product code	PF5804
Control	manual
N° trays	4
Compatible trays	442x325
Outside dimensions (WxDxH)(mm)	550 x 600 x 540
Space between trays (mm)	75
Power (kW)	2,8
Voltage	230V 1N~
Weight (kg)	27
Fans inversion	-
Humidification	-
Grill	-
Plug in	•
N° brioches per tray	6x4
Price	€ 940,00

General technical characteristics

Hertz	50/60 Hz	Cooking phases	3 *
Temperature	30 - 260 °C	Insertable recipes	99 *
Top to bottom opening	standard	Pre-heating	up to 260 °C *

* only digital versions.



GASTRONOMY



BAKERY



PASTRY



Product code	PF5004F
Controllo	manual
N° teglie	4
Teglie compatibili	480x345
Dimensioni esterne (LxPxA)(mm)	600 x 600 x 540
Spazio fra le teglie (mm)	75
Potenza (kW)	3,3
Alimentazione	230V 1N~
Peso (kg)	37
Inversione ventole	-
Umidificazione	-
Grill	-
Cavo di alimentazione	•
N° brioches per teglia	9x4
Price	€ 1.100,00



Available also with
hinged door
CODE PF5004E

⚠ PRICE ON REQUEST



GASTRONOMY



With Grill function



Product code	PF5004P
Controllo	manual
N° teglie	4
Teglie compatibili	480x345
Dimensioni esterne (LxPxA)(mm)	600 x 600 x 540
Spazio fra le teglie (mm)	75
Potenza (kW)	3,3
Alimentazione	230V 1N~
Peso (kg)	37
Inversione ventole	-
Umidificazione	manual
Grill	•
Cavo di alimentazione	•
N° brioches per teglia	9x4
Price	€ 1.310,00


General technical characteristics

Hertz	50/60 Hz
Temperature	30 - 260 °C
Top to bottom opening	standard

* only digital versions.

Recommended Trays & Grills

SPECIALS TRAYS & GRILLS




OTHER TRAYS

[Go to page 65 →](#)

OTHER GRILLS


[Go to page 73 →](#)

Compatible Accessories




PROOFERS

[Go to page 58 →](#)




HOODS

[Go to page 59 →](#)



SUPPORTS

[Go to page 60 →](#)



OTHER KITS


[Go to page 80 →](#)

TECHNICAL FEATURES

Fast, practical and precise


Digital control

Direct commands and display for the control of the cooking process: effective management with enhanced ease of use.



Manual control

A simple and intuitive control to manage all the different functions and set the correct cooking parameters. Maximum results with maximum ease of use.



- ☀ Light on
- ↻ Fan on
- ⊕ Circular heating element + fan on
- ☄ Grill on



Explora technical features

COOKING TYPE

Convection cooking with temperature range from 30 °C to 270 °C.

Convection cooking + Humidity injection through manual command.

Mixed cooking, Convection cooking + Humidity regulation.

Direct steam cooking.

Core probe cooking.

Delta T cooking.

FANS

BALANCED FAN REVERSAL.

8 fan speeds for the user to select the correct airflow.

Selectable semi-static function.

Selectable single direction fan drive only.

COOKING FUNCTIONS

Selectable cooking time in "infinity" mode.

Multi-phase cooking with up to 40 different phases (pre-set included).

10 pre-set phase types with the possibility to vary the parameters within a specific range and choose to work with a time or core probe.

Cancelable cooking phase at any moment of the cooking program.

Programmable pause function between one phase and the next for short periods of food preparation.

Preheating with steam management.

3 preheating levels depending on the oven's load.

Protection against accidental interruption of the cooking program in progress.

Possibility to verify the temperature of the core probe even during a timed phase if the probe is connected.

Multi-timer with rapid repetition option.

Fast cooling function.

Delayed start.

RECIPES

Save up to 1000 recipes.

Possibility to insert a recipe description and photo. The photo can be loaded from the database or directly from a USB drive.

Classification of recipes in 6 categories: first courses, bread, meat, fish, desserts and side dishes.

Advanced search system for recipes.

Possibility to save recipes in favorites.

The last recipe used is saved in the memory.

Possibility of repeating the last sequence performed or storing it as a favorite.

Backup of the recipes via USB drive.

OPTION MANAGEMENT

Multilingual with specific language keyboard.

Available metric and standard measurements.

Set the date and time even through NTP.

CLEANING

Automatic washing system Nettoyage 2in1 and 3 levels of intensity.

1 rinse cycle.

Schedulable washing cycles choosing time, days of the week and wash cycle type.

MAINTENANCE

Diagnostics: interface to monitor the mechanical and electrical components by the user, and if necessary, indicate how to solve the matter.

Pragmatic icons that indicate the error.

Service function to test the power board and visualize the temperature sensors.

Consumption monitoring of water, electricity, oven hours of work, liquid detergent, water softener from the date of installation and/or within time periods.

Memory of use visualizing consumption and the possibility to view the recipe of interest.

HACCP function with the possibility to easily export the report in PDF format.

EXPLORA CLOUD SYSTEM* (optional)

Web application accessible by any tablet, PC or mobile phone.

Colored error signals that monitor the state of every component in real time.

Prognostic analysis that monitors the wear on critical components of the oven and advises the user of danger or need to replace an accessory.

Programmable alert via email concerning the monitoring so that a timely intervention can be made to do maintenance to the oven.

Monitoring of consumption and oven morning hours.

History of the user's operations with the ability to set a custom time interval and export data in standard .csv format.

Firmware updates by remote control.

* The oven must have an internet connection to benefit of the service.

Explora technical features

•	o	-
standard	optional	not available

Oven Families	Explora	
Version	COLOMBO	COLOMBO KT
ENVIRONMENT MANAGEMENT IN THE COOKING CHAMBER		
OPTIMAL CLIMATIC: humidity extraction regulation in the cooking chamber through single chimney equipped with a butterfly valve.	•	•
ENERGY SAVING		
Led lights integrated on door.	•	•
Door equipped with tempered double glazing with air gap.	•	•
CONTROL SYSTEM		
7" capacitive color touch screen display.	•	•
STRUCTURAL CHARACTERISTICS		
Universal rack for pastry EN 600x400 and for gastronomy GN 1/1 (no trolley version - 15/20 trays/grills).	•	-
Rack for gastronomy GN 1/1 (trolley version - 15/20 trays/grills).	•	-
Rack for gastronomy GN 1/1 and GN 2/3.	-	•
Cooking chamber in stainless steel with rounded edges for maximum hygiene and cleanliness.	•	•
Removable high capacity drip tray in stainless steel connected to the drain.	•	•
Inner glass hinged opening for easy cleaning.	•	•
Easy-to-replace door gasket.	•	•
Reversible door with left to right opening.	o	o
Door handle with a single stage.	•	•
Door handle with a double stage.	o	o
Removable air deflector to facilitate the fan area cleaning.	•	•
FEATURES		
USB port to update software and load/download cooking programs.	•	•
Wi-Fi and Ethernet connection.	•	•
Multipoint core probe (with up to 4 points).	o	o
Single point core probe.	•	•
Explora Cloud System	o	o

Technical features

•	o	-	*
standard	optional	not available	see product data sheet

Oven Families	Vespucci		Galilei			Caboto	
Type of commands	WASH	BASIC	PLUS	PLUS KT	MECHANICAL	DIGITAL	MECHANICAL

COOKING TYPE

Convection cooking with temperature range from 30 °C to 260 °C.	•	•	•	•	•	•	•
Convection cooking + Humidity injection through manual commande.	-	-	-	-	-	-	*
Mixed cooking Convection + Humidity regulation.	•	•	•	•	•	•	-
Direct steam cooking.	•	•	•	•	•	-	-
Core probe cooking.	•	•	•	•	-	-	-

FANS

AIR FLOW: balanced fan reverse.	•	•	•	•	•	•	*
3 fan speeds for the user to select the correct airflow.	•	•	•	•	•	-	-
1 fan speed.	-	-	-	-	-	•	•

ENVIRONMENT MANAGEMENT IN THE COOKING CHAMBER

OPTIMAL CLIMATIC: regulation of the extraction of humidity in the cooking chamber set by the user trough single chimney with a butterfly valve for the rapid extraction of humidity.	•	•	•	•	-	-	-
--	---	---	---	---	---	---	---

MANUAL COOKING MODE

Possibility to set "infinity" time mode.	•	•	•	•	•	•	•
5 cooking phases available.	•	•	-	-	-	-	-
3 cooking phases available.	-	-	-	-	-	•	-
Preheating.	•	•	-	-	-	•	-

RECIPES

Save up to 99 recipes.	•	•	-	-	-	•	-
20 preset recipes	•	•	-	-	-	-	-

CLEANING

Automatic washing system NETTOYAGE 2in1 and 3 levels of intensity.	•	-	-	-	-	-	-
1 rinse cycle.	•	-	-	-	-	-	-

ENERGY SAVING

Double glass door with tempered glass and air gap.	•	•	•	•	•	•	•
--	---	---	---	---	---	---	---

CONTROL SYSTEM

DIGITAL: Capacitive buttons.	•	•	-	-	-	-	-
DIGITAL: Membrane buttons with display and 7 segments to be regulated.	-	-	-	-	-	•	-
MANUAL: Knobs to set time, temperature, humidity level, grill function.	-	-	-	-	•	-	•
HYBRID: Manual control with core probe/digital timer regulation.	-	-	•	•	-	-	-

STRUCTURAL CHARACTERISTICS

Universal container rack for pastry EN 600x400 and for gastronomy GN 1/1.	•	•	•	-	•	*	*
Container rack for gastronomy GN 1/1 and GN 2/3.	-	-	-	•	•	-	-
Cooking chamber in high-strength stainless steel AISI 304 with rounded edges for maximum hygiene and cleanliness.	•	•	•	•	•	•	•

Technical features

•	0	-	*
standard	optional	not available	see product data sheet

Oven Families	Vespucci		Galilei			Caboto	
Type of commands	WASH	BASIC	PLUS	PLUS KT	MECHANICAL	DIGITAL	MECHANICAL
Lights in the cooking chamber.			•	•	•	•	•
Lights on door.	•	•	-	-	-	-	-
High capacity drip tray in stainless steel.	•	•	•	•	•	-	-
Inner glass hinged opening for easy cleaning.	•	•	•	•	•	-	-
Reversible door with right hinges.	0	0	0	0	0	-	-
Door handle with a single stage.	•	•	•	•	•	•	-
Door handle with a double stage.	0	0	0	0	0	-	-
Opening air deflector for easy cleaning of the fan compartment.	•	•	•	•	•	•	•
Water drainage system integrated into the cooking chamber.	•	•	•	•	•	-	-

ACCESSORIES






Proofers

Accessories

h 600 mm



PL7612


PROOFER 12 TRAYS
 780 x 900 x 600 mm (W x D x H)
 12 trays EN 600 x 400 / GN 1/1
 2,0 kW
 230V 1N~
 50/60 Hz
 30 - 90 °C
 50 kg

Compatible ovens

COLOMBO:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
PF7910 PF7904/L+PF7904/L	PF8910/L PF8904/L+PF8904/L PF7210/L PF7204/L+PF7204/L	PF7710/L	PF8410/L

€ 1.470,00

h 950 mm



PL2008

PROOFER 8 TRAYS
 810 x 800 x 950 mm (W x D x H)
 8 trays EN 600 x 400 / GN 1/1
 2,0 kW
 230V 1N~
 50/60 Hz
 30 - 90 °C
 50 kg

Compatible ovens

CABOTO:
PF8004/D PF8003/D

€ 1.400,00




PL6008

PROOFER 8 TRAYS
 600 x 600 x 950 mm (W x D x H)
 8 trays 480 x 345 / 442 x 325 / GN 2/3
 2,0 kW
 230V 1N~
 50/60 Hz
 30 - 90 °C
 40 kg

Compatible ovens

CABOTO:
PF6204/D PF5004F/P PF5804/D

€ 1.050,00



PL7608

PROOFER 8 TRAYS
 780 x 800 x 950 mm (W x D x H)
 8 trays EN 600 x 400 / GN 1/1
 2,0 kW
 230V 1N~
 50/60 Hz
 30 - 90 °C
 50 kg


Compatible ovens

COLOMBO:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
PF7906 PF7904/L	PF8906/L PF8904/L PF7206/L PF7204/L	PF7706/L	PF8406/L


€ 1.630,00


Condensation hoods

Accessories

	PC2116	Compatible ovens		
	CONDENSATION HOOD 860 x 1100 x 200 mm (W x D x H) 130 watt 230V 1N~ 50/60 Hz 45 kg	COLOMBO:	GALILEI PLUS/KT:	
		PF7920/L PF7916/L	PF7720/L PF7716/L	
€ 2.040,00				


	PC7400	Compatible ovens	
	CONDENSATION HOOD 760 x 890 x 230 mm (W x D x H) 300 watt 230V 1N~ 50/60 Hz 30 kg	GALILEI:	
		PF7404/L	
€ 1.720,00			

	PC7600	Compatible ovens			
	CONDENSATION HOOD 780 x 970 x 230 mm (W x D x H) 300 watt 230V 1N~ 50/60 Hz 40 kg	COLOMBO:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
		PF7910_DE0 PF7906_DE0 PF7904/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7710/L PF7706/L	PF8410/L PF8406/L
€ 1.920,00					

	PC8000	Compatible ovens	
	CONDENSATION HOOD 800 x 950 x 230 mm (W x D x H) 300 watt 230V 1N~ 50/60 Hz 24 kg	CABOTO:	
		PF8004/D PF8003/D	
€ 1.920,00			

Condensation hoods


Accessories

	KFL00023	Compatible ovens				
	Activated carbon filter	COLOMBO:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:	CABOTO:
		PC7600 PC2116	PC7600 PC2116	PC7600 PC2116	PC7400	PC8000
						€ 80,00

Supports

Accessories


h 400 mm			
	PS1540	Compatible ovens	
	SUPPORTING FRAME 540 x 800 x 400 mm (W x D x H) 10 kg	COLOMBO KT:	GALILEI PLUS/KT:
		PF1545/L+PF1535/L PF1545/L+PF1545/L PF1535/L+PF1535/L	PF1565/L+PF1555/L PF1565/L+PF1565/L PF1555/L+PF1555/L
		€ 510,00	

	PS7640	Compatible ovens	
	SUPPORTING FRAME 780 x 760 x 400 mm (W x D x H) 13 kg	COLOMBO:	VESPUCCI / WASH:
		PF7904/L+PF7906	PF8904/L+PF8906/L PF7204/L+PF7206/L
		€ 760,00	


Supports

Accessories

h 600 mm

	PS1560	Compatible ovens	
	SUPPORTING FRAME	COLOMBO KT:	GALILEI PLUS/KT:
	540 x 800 x 600 mm (W x D x H) 15 kg	PF1530/L	PF1550/L
€ 720,00			

	PS6060	Compatible ovens	
	SUPPORTING FRAME	CABOTO:	
	600 x 600 x 600 (W x D x H) 16 kg <i>Trays holder for 5 trays</i> GN 2/3 442x325 mm	PF6204/D + PF6204/D	
€ 670,00			

	PS7660	Compatible ovens			
	SUPPORTING FRAME	COLOMBO:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
	780 x 760 x 600 mm (W x D x H) 21 kg <i>Trays holder for 5 trays</i> EN 600x400 GN 1/1	PF7910_DE0 PF7904/L+ PF7904/L+ KIT00081 KIT00072	PF8910/L PF7210/L PF8904/L+ PF8904/L+ KIT00081 KIT00072 PF7204/L + PF7204/L + KIT00081 KIT00072	PF7710/L	PF8410/L
€ 760,00 (+ € 180,00 KIT00081 hinge on the RH side / + € 260,00 KIT00072 hinge on the LH side)					


	PS8060	Compatible ovens	
	SUPPORTING FRAME	CABOTO:	
	800 x 650 x 600 (W x D x H) 21 kg <i>Trays holder for 5 trays</i> EN 600x400 GN 1/1	PF8004/D + PF8004/D PF8003/D + PF8003/D PF7504/G + PF7504/G PF7604/D + PF7604/D	
€ 710,00			

Supports

Accessories

h 950 mm


	PS7595		Compatible ovens	
	SUPPORTING FRAME 800 x 650 x 950 mm (W x D x H) 28 kg <i>Trays holder for 8 trays</i> EN 600x400 GN 1/1		GALILEI: PF7404/L	CABOTO: PF8004/D PF8003/D PF7504/G PF7604/D
	€ 820,00			


	PS7695		Compatible ovens			
	SUPPORTING FRAME 780 x 760 x 950 mm (W x D x H) 28 kg <i>Trays holder for 8 trays</i> EN 600x400 GN 1/1		COLOMBO: PF7906_DE0 PF7904/L	VESPUCCI / WASH: PF8906/L PF8904/L PF7206/L PF7204/L	GALILEI PLUS/KT: PF7706/L	GALILEI: PF8406/L
	€ 910,00					

	PS1595		Compatible ovens	
	SUPPORTING FRAME 540 x 800 x 950 mm (W x D x H) 20 kg <i>Trays holder for 7 trays</i> GN 1/1 GN 2/3		COLOMBO KT: PF1545/L PF1535/L	GALILEI PLUS/KT: PF1565/L PF1555/L
	€ 830,00			

Supports

Accessories

	PS6095	Compatible ovens					
	CABOTO:						
	PF6204/D PF5004F/P PF5804/D						
SUPPORTING FRAME 600 x 600 x 950 mm (W x D x H) 20 kg <i>Trays holder for 7 trays</i> GN 2/3 442x325 mm 480x345 mm		€ 760,00					

	KRU00015		Compatible ovens									
	COLOMBO:						CABOTO:					
	4 WHEELS WITH BRAKE height 16 cm - 5 kg <i>(To mount on supports)</i>						COLOMBO:	COLOMBO KT:	VESPUCCI/ WASH:	GALILEI PLUS/KT:	GALILEI:	CABOTO:
		PS7695	PS1560	PS7695	PS7695	PS7660	PS8060					
		PS7660	PS1540	PS7660	PS7660	PS7595	PS6095					
		PS7640		PS7640	PS7640		PS6060					
					PS1595							
					PS1560							
					PS1540							
		€ 230,00										

Racks

Accessories

for 16 trays models

	KAR00001	Compatible ovens	
	16 TRAYS EN 600 X 400 TROLLEY 646 x 711 x 1775 mm (W x D x H) 39 kg	COLOMBO:	GALILEI PLUS/KT:
		PF7916/L	PF7716/L
€ 2.500,00			

for 20 trays models


	KAR00002	Compatible ovens	
	20 TRAYS GN 1/1 TROLLEY 646 x 711 x 1775 mm (W x D x H) 39 kg	COLOMBO:	GALILEI PLUS/KT:
		PF7920/L	PF7720/L
€ 2.440,00			


Trays


Accessories

Gastronomy | The Specials

	APLEC30041		Compatible ovens				
	EGGS TRAY GN 1/1 eggs tray with 6 moulds measuring 120 mm in diameter aluminium non-stick tray 530 x 325 x 20 mm (W x D x H)		COLOMBO:	COLOMBO KT:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
	PF7920 PF7910 PF7906 PF7904	PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L		
€ 190,00							

	APLEC30043		Compatible ovens				
	FRY TRAY GN 1/1 aluminium non-stick tray 530 x 325 x 20 mm (W x D x H)		COLOMBO:	COLOMBO KT:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
	PF7920 PF7910 PF7906 PF7904	PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L		
€ 100,00							

	APLEC30062		Compatible ovens				
	STRIPES GRILL GN 1/1 non-stick teflon ribbed plate 530 x 325 x 10 mm (W x D x H)		COLOMBO:	COLOMBO KT:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
	PF7920 PF7910 PF7906 PF7904	PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L		
€ 280,00							

	APLEC30065		Compatible ovens				
	GRILL PLATE GN 1/1 non-stick teflon flat plate 530 x 325 x 20 mm (W x D x H)		COLOMBO:	COLOMBO KT:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
	PF7920 PF7910 PF7906 PF7904	PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L		
€ 280,00							


Trays

Accessories

Gastronomy | Other trays | GN 1/1

	APLEC30016		Compatible ovens					
	GN 1/1 TRAY stainless steel tray 530 x 325 x 20 mm (W x D x H)		COLOMBO:	COLOMBO KT:	VESPUCCI/ WASH:	GALILEI PLUS/KT:	GALILEI:	CABOTO:
	PF7920 PF7910 PF7906 PF7904	PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L	PF8004/D PF8003/D PF7504/G PF7604/D		
€ 40,00								

	APLEC30017		Compatible ovens					
	GN 1/1 TRAY stainless steel tray 530 x 325 x 40 mm (W x D x H)		COLOMBO:	COLOMBO KT:	VESPUCCI/ WASH:	GALILEI PLUS/KT:	GALILEI:	CABOTO:
	PF7920 PF7910 PF7906 PF7904	PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L	PF8004/D PF8003/D PF7504/G PF7604/D		
€ 40,00								

	APLEC30018		Compatible ovens					
	GN 1/1 TRAY stainless steel perforated tray 530 x 325 x 40 mm (W x D x H)		COLOMBO:	COLOMBO KT:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:	
	PF7920 PF7910 PF7906 PF7904	PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L			
€ 50,00								

	APLEC30019		Compatible ovens					
	GN 1/1 TRAY stainless steel tray 530 x 325 x 65 mm (W x D x H)		COLOMBO:	COLOMBO KT:	VESPUCCI/ WASH:	GALILEI PLUS/KT:	GALILEI:	CABOTO:
	PF7920 PF7910 PF7906 PF7904	PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L	PF8004/D PF8003/D PF7504/G PF7604/D		
€ 50,00								

Trays

Accessories

Gastronomy | Other trays | GN 1/1

	APLEC30020	Compatible ovens				
	GN 1/1 TRAY stainless steel perforated tray 530 x 325 x 65 mm (W x D x H)	COLOMBO:	COLOMBO KT:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
		PF7920 PF7910 PF7906 PF7904	PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L
€ 60,00						

	APLEC30040	Compatible ovens				
	GN 1/1 TRAY stainless steel frying tray 530 x 325 x 40 mm (W x D x H)	COLOMBO:	COLOMBO KT:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
		PF7920 PF7910 PF7906 PF7904	PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L
€ 160,00						

Trays

Accessories

Gastronomy | Other trays | GN 2/3

	APLEC3002	Compatible ovens		
	GN 2/3 TRAY stainless steel tray 354 x 325 x 20 mm (W x D x H)	COLOMBO KT:	GALILEI PLUS/KT:	CABOTO:
		PF1545/L	PF1565/L	PF6204/D
€ 30,00				

	APLEC30021	Compatible ovens		
	GN 2/3 TRAY stainless steel tray 354 x 325 x 40 mm (W x D x H)	COLOMBO KT:	GALILEI PLUS/KT:	CABOTO:
		PF1545/L	PF1565/L	PF6204/D
€ 40,00				

	APLEC30022	Compatible ovens		
	GN 2/3 TRAY stainless steel perforated tray 354 x 325 x 40 mm (W x D x H)	COLOMBO KT:	GALILEI PLUS/KT:	CABOTO:
		PF1545/L	PF1565/L	PF6204/D
€ 40,00				

	APLEC30023	Compatible ovens		
	GN 2/3 TRAY stainless steel tray 354 x 325 x 65 mm (W x D x H)	COLOMBO KT:	GALILEI PLUS/KT:	CABOTO:
		PF1545/L	PF1565/L	PF6204/D
€ 40,00				

Trays

Accessories

Gastronomy | Other trays | GN 2/3

	APLEC30024	Compatible ovens			
	GN 2/3 TRAY stainless steel perforated tray 354 x 325 x 65 mm (W x D x H)	COLOMBO KT:	GALILEI PLUS/KT:	CABOTO:	
		PF1545/L	PF1565/L	PF6204/D	
€ 50,00					

Gastronomy | Other trays | Custom size

	APLEC30037	Compatible ovens		
	ALUMINIUM TRAY 480 x 345 x 8 mm (W x D x H)	CABOTO:		
		PF5004F/P		
€ 30,00				

Trays

Accessories

Bakery & Pastry | The Specials

	APLEC30004	Compatible ovens			
	BAGUETTE TRAY EN 600 x 400 aluminium perforated tray 5 canals with support 600 x 400 x 30 mm (W x D x H)	COLOMBO:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
	PF7916 PF7910 PF7906 PF7904	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7716/L PF7710/L PF7706/L	PF8410/L PF8406/L PF7404/L	PF8004/D PF8003/D PF7604/D
€ 70,00					

	APLEC30012	Compatible ovens			
	BAKE TRAY EN 600 x 400 aluminium teflon tray 600 x 400 x 20 mm (W x D x H)	COLOMBO:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
	PF7916 PF7910 PF7906 PF7904	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7716/L PF7710/L PF7706/L	PF8410/L PF8406/L PF7404/L	
€ 80,00					


	APLEC30028	Compatible ovens			
	PLUM CAKES TRAY EN 600 x 400 teflon plum cakes tray 600 x 400 x 20 mm (W x D x H)	COLOMBO:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
	PF7916 PF7910 PF7906 PF7904	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7716/L PF7710/L PF7706/L	PF8410/L PF8406/L PF7404/L	
€ 240,00					

Trays

Accessories

Bakery & Pastry | The Specials

	APLEC30029	Compatible ovens			
	EGGS XL TRAY EN 600 x 400 eggs tray with 8 moulds measuring 120 mm in diameter aluminium non-stick tray 600 x 400 x 20 mm (W x D x H)	COLOMBO: PF7916 PF7910 PF7906 PF7904	VESPUCCI / WASH: PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	GALILEI PLUS/KT: PF7716/L PF7710/L PF7706/L	GALILEI: PF8410/L PF8406/L PF7404/L
€ 130,00					

	APLEC30063	Compatible ovens			
	BAKE PLATE EN 600 x 400 With flaps (patent VULCAN) 600 x 400 x 10 mm (W x D x H)	COLOMBO: PF7916 PF7910 PF7906 PF7904	VESPUCCI / WASH: PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	GALILEI PLUS/KT: PF7716/L PF7710/L PF7706/L	GALILEI: PF8410/L PF8406/L PF7404/L
€ 290,00					

Bakery & Pastry | Other trays | EN 600 x 400

	APLEC30001	Compatible ovens				
	EN 600 x 400 TRAY aluminium tray 600 x 400 x 20 mm (W x D x H)	COLOMBO: PF7916 PF7910 PF7906 PF7904	VESPUCCI / WASH: PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	GALILEI PLUS/KT: PF7716/L PF7710/L PF7706/L	GALILEI: PF8410/L PF8406/L PF7404/L	CABOTO: PF8004/D PF8003/D PF7504/G PF7604/D
€ 65,00						

	APLEC30010	Compatible ovens				
	EN 600 x 400 TRAY aluminium perforated tray 600 x 400 x 20 mm (W x D x H)	COLOMBO: PF7916 PF7910 PF7906 PF7904	VESPUCCI / WASH: PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	GALILEI PLUS/KT: PF7716/L PF7710/L PF7706/L	GALILEI: PF8410/L PF8406/L PF7404/L	CABOTO: PF8004/D PF8003/D PF7504/G PF7604/D
€ 40,00						

Trays

Accessories

Bakery & Pastry | Other trays | EN 600 x 400

	APLEC30036	Compatible ovens				
	EN 600 x 400 TRAY aluminium perforated tray 600 x 400 x 20 mm (W x D x H)	COLOMBO: PF7916 PF7910 PF7906 PF7904	VESPUCCI / WASH: PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	GALILEI PLUS/KT: PF7716/L PF7710/L PF7706/L	GALILEI: PF8410/L PF8406/L PF7404/L	CABOTO: PF8004/D PF8003/D PF7504/G PF7604/D
	€ 30,00					

Bakery & Pastry | Other trays | Custom size

	APLEC30003	Compatible ovens	
	ALUMINIUM TRAY 442 x 325 x 15 mm (W x D x H)	CABOTO: PF6204/D PF5804/D	
	€ 30,00		

	APLEC30005	Compatible ovens	
	ALUMINIUM PERFORATED TRAY 442 x 325 x 15 mm (W x D x H)	CABOTO: PF6204/D PF5804/D	
	€ 30,00		


	APLEC30006	Compatible ovens	
	ALUMINIUM TEFLON TRAY 442 x 325 x 20 mm (W x D x H)	CABOTO: PF6204/D PF5804/D	
	€ 50,00		


Grills

Accessories

Gastronomy | The Specials

	KG100163		Compatible ovens				
	QUICK RIBS-BLACK GN 1/1 grill for ribs with drip teflon pan for fat 530 x 325 mm (W x D x H)		COLOMBO: PF7920 PF7910 PF7906 PF7904	COLOMBO KT: PF1535/L PF1530/L	VESPUCCI / WASH: PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	GALILEI PLUS/KT: PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	GALILEI: PF8410/L PF8406/L PF7404/L
	€ 380,00						

	KG100164		Compatible ovens				
	QUICK CHICKEN-BLACK GN 1/1 grill for chickens with drip teflon pan for fat 530 x 325 mm (W x D x H)		COLOMBO: PF7920 PF7910 PF7906 PF7904	COLOMBO KT: PF1535/L PF1530/L	VESPUCCI / WASH: PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	GALILEI PLUS/KT: PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	GALILEI: PF8410/L PF8406/L PF7404/L
	€ 380,00						


	KG101163		Compatible ovens				
	QUICK RIBS-STEEL GN 1/1 grill for ribs with drip pan for fat stainless steel 530 x 325 mm (W x D x H)		COLOMBO: PF7920 PF7910 PF7906 PF7904	COLOMBO KT: PF1535/L PF1530/L	VESPUCCI / WASH: PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	GALILEI PLUS/KT: PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	GALILEI: PF8410/L PF8406/L PF7404/L
	€ 220,00						

	KG101164		Compatible ovens				
	QUICK CHICKEN-STEEL GN 1/1 grill for chickens with drip pan for fat stainless steel 530 x 325 mm (W x D x H)		COLOMBO: PF7920 PF7910 PF7906 PF7904	COLOMBO KT: PF1535/L PF1530/L	VESPUCCI / WASH: PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	GALILEI PLUS/KT: PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	GALILEI: PF8410/L PF8406/L PF7404/L
	€ 210,00						


Grill & Grid

Accessories


Gastronomy | The Specials

	APGRI30124	Compatible ovens			
	ZEBRA GRILL GN 1/1 aluminium non-stick grill 530 x 325 mm (W x D x H)	COLOMBO:	COLOMBO KT:		
		PF7920 PF7910 PF7906 PF7904	PF1535/L PF1530/L		
€ 260,00					

Gastronomy | Other grills | GN 1/1

	APGRI30010	Compatible ovens					
	GN 1/1 GRID chromed plated grid 530 x 325 mm (W x D x H)	COLOMBO:	COLOMBO KT:	VESPUCCI/ WASH:	GALILEI PLUS/KT:	GALILEI:	CABOTO:
		PF7920 PF7910 PF7906 PF7904	PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L	PF8004/D PF8003/D PF7504/G PF7604/D
€ 40,00							

	APGRI30037	Compatible ovens			
	GN 1/1 GRID stainless steel grid for chicken 530 x 325 x 140 mm (W x D x H)	COLOMBO:	COLOMBO KT:		
		PF7920 PF7910 PF7906 PF7904	PF1535/L PF1530/L		
€ 130,00					

	APGRI30103	Compatible ovens					
	GN 1/1 GRID stainless steel grid 530 x 325 mm (W x D x H)	COLOMBO:	COLOMBO KT:	VESPUCCI/ WASH:	GALILEI PLUS/KT:	GALILEI:	CABOTO:
		PF7920 PF7910 PF7906 PF7904	PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7710/L PF7706/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L	PF8004/D PF8003/D PF7504/G PF7604/D
€ 40,00							


Grill & Grid

Accessories


Gastronomy | Other grills | GN 2/3

	APGRI30104		Compatible ovens	
	GN 2/3 GRID stainless steel grid 354 x 325 mm (W x D)		GALILEI PLUS/KT: PF1565/L	COLOMBO: PF6204/D
	€ 20,00			

Bakery & Pastry | Other grills | EN 600 x 400

	APGRI30005		Compatible ovens				
	EN 600 x 400 GRID chromed plated grid 600 x 400 mm (W x D)		COLOMBO: PF7916 PF7910 PF7906 PF7904	VESPUCCI/ WASH: PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	GALILEI PLUS/KT: PF7716/L PF7710/L PF7706/L	GALILEI: PF8410/L PF8406/L PF7404/L	CABOTO: PF8004/D PF8003/D PF7504/G PF7604/D
	€ 50,00						


Bakery & Pastry | Other grills | Custom size


	APGRI30006		Compatible ovens		
	CHROMED PLATED GRID 442 x 325 mm (W x D)		CABOTO: PF6204/D PF5804/D		
	€ 20,00				

Care & Maintenance

Accessories

NETTOYAGE The 2 in 1 detergent

	DET30010	Compatible ovens		
	NETTOYAGE 2-in1 formula to guarantee you top cleaning results. Also ideal for very stubborn dirt. 5 kg tank.	COLOMBO: PF7920 PF7916 PF7910 PF7906 PF7904	COLOMBO KT: PF1545/L PF1535/L PF1530/L	VESPUCCI / WASH: PF8910/L PF8906/L PF8904/L
	€ 65,00			

	DET30011	Compatible ovens		
	NETTOYAGE 2-in1 formula to guarantee you top cleaning results. Also ideal for very stubborn dirt. One box contains 12 x 1 kg tanks.	COLOMBO: PF7920 PF7916 PF7910 PF7906 PF7904	COLOMBO KT: PF1545/L PF1535/L PF1530/L	VESPUCCI / WASH: PF8910/L PF8906/L PF8904/L
	€ 155,00			


Other cleaning accessories


	KDC00020	Compatible ovens				
	Shower	COLOMBO: PF7920 PF7916 PF7910 PF7906 PF7904	COLOMBO KT: PF1545/L PF1535/L PF1530/L	VESPUCCI / WASH: PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	GALILEI PLUS/KT: PF7720/L PF7716/L PF7710/L PF7706/L PF1565/L PF1555/L PF1550/L	GALILEI: PF8410/L PF8406/L PF7404/L
	€ 160,00					

Care & Maintenance

Accessories

Water treatment

	KWS00003		Compatible ovens				
	COMPLETE KIT WATER SOFTENER Capacity 10°dKH / 18°fH up to 9.100 L		COLOMBO:	COLOMBO KT:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
	PF7920 PF7916 PF7910 PF7906 PF7904	PF1545/L PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7716/L PF7710/L PF7706/L PF1565/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L		
€ 700,00							


	KWS00004		Compatible ovens				
	WATER SOFTENER REFILL Capacity 10°dKH / 18°fH up to 9.100 L		COLOMBO:	COLOMBO KT:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
	PF7920 PF7916 PF7910 PF7906 PF7904	PF1545/L PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7716/L PF7710/L PF7706/L PF1565/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L		
€ 610,00							

Optional kits

Accessories

Accessories Stacking kit

	KIT00072	Compatible ovens			
	Supporting frame for stackable ovens  Kit for left-hinged oven	COLOMBO:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
		PF7906_PI PF7904_PI	PF8906 PF8904 PF7206 PF7204	PF7706	PF8406
€ 150,00					

	KIT00081	Compatible ovens			
	Supporting frame for stackable ovens  Kit for right-hinged oven	COLOMBO:	VESPUCCI / WASH:	GALILEI PLUS/KT:	GALILEI:
		PF7906L PF7904L	PF8906L PF8904L PF7206L PF7204L	PF7706L	PF8406L
€ 180,00					


	KIT00069	Compatible ovens	
	Supporting frame for stackable ovens  Kit for left-hinged oven	COLOMBO KT:	GALILEI PLUS/KT:
		PF1545 PF1535	PF1565 PF1555
€ 260,00			


	KIT00082	Compatible ovens	
	Supporting frame for stackable ovens  Kit for right-hinged oven	COLOMBO KT:	GALILEI PLUS/KT:
		PF1545L PF1535L	PF1565L PF1555L
€ 260,00			


Optional kits


Accessories

Other kits

	KIT00032		Compatible ovens		
	Siphon + technical curve	COLOMBO:	COLOMBO KT:	VESPUCCI / WASH:	
		PF7920/L PF7916/L PF7910 PF7906 PF7904/L	PF1545/L PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L	
€ 220,00					

	KDF00107		Compatible ovens		
	Air reduction kit	CABOTO:			
		PF8004/D PF8003/D PF7604/D PF6204/D			
€ 40,00					


	KIT00104		Compatible ovens				
	Fans extractor	COLOMBO:	COLOMBO KT:	VESPUCCI/ WASH:	GALILEI PLUS/KT:	GALILEI:	CABOTO:
		PF7920/L PF7916/L PF7910 PF7906 PF7904/L	PF1545/L PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7716/L PF7710/L PF7706/L PF1565/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L	PF8004/D PF8003/D PF7604/D PF7504/G PF6204/D
€ 180,00							


	KRD00003		Compatible ovens				
	Pressure reducer	COLOMBO:	COLOMBO KT:	VESPUCCI/ WASH:	GALILEI PLUS/KT:	GALILEI:	CABOTO:
		PF7920/L PF7916/L PF7910 PF7906 PF7904/L	PF1545/L PF1535/L PF1530/L	PF8910/L PF8906/L PF8904/L PF7210/L PF7206/L PF7204/L	PF7720/L PF7716/L PF7710/L PF7706/L PF1565/L PF1555/L PF1550/L	PF8410/L PF8406/L PF7404/L	PF8004/D PF8003/D PF7604/D PF7504/G PF6204/D PF5804/D PF5004P
€ 60,00							

Optional kits


Accessories

Core probes

	KSN00020	
	Compatible ovens	
	CORE PROBE Multipoint (with up to 4 points)	COLOMBO: PF7920_PI PF7916_PI PF7910_PI PF7906_PI PF7904_PI
€ 240,00		

	KSN00022	
	Compatible ovens	
	CORE PROBE Sous-vide	COLOMBO: PF7920/L_PI PF7916/L_PI PF7910/L_PI PF7906/L_PI PF7904/L_PI
€ 180,00		

Other kits

	KWF00001	
	Compatible ovens	
	Explora Cloud System	COLOMBO: PF7920/L PF7916/L PF7910/L/DE PF7906/L/DE PF7904/L
Price on request		

EXPLORA^{2.0}
EVOLUZIONE



www.pi-dom.com



PI.DOM S.r.l.
Unipersonale

Head office

Via Belladoro, 15 - 35010
Cadoneghe (Padova) - Italy

Operational

Strada del Santo, 103 - 35010
Cadoneghe (Padova) - Italy

Tel. +39 049 9624228

www.pi-dom.com
info@pi-dom.com

